

LIST OF FIGURES

D
e
s
c
r
i
p
t
i
o
n

P
r
o
x
i
m
a
l
e
n
d
o
f
f
e
m
u
r
:
p
o
s
t
e
r
i
o
n

LIST OF FIGURES

a
s
p
e
c
t
.

H
i
p
j
o
i
n
t
a
r
t
i
c
u
l
a
r
s
u
r
f
a
c
e
s
.

T
h
e

LIST OF FIGURES

g
r
o
s
s
a
n
a
t
o
m
y
o
f
t
h
e
j
o
i
n
t
c
a
p
s
u
l
e
.

T
h
e
i
s
c

LIST OF FIGURES

h
i
o
f
e
m
o
r
a
l
l
i
g
a
m
e
n
t
N
A
The blood
s
u
p
p
l
y
t
o
t
h
e
n
o
r
m
a
l

LIST OF FIGURES

p
r
o
x
i
m
a
l
f
e
m
u
r
i
n
a
c
h
i
l
d
.

P
o
s
i
t
i
o
n
i
n
g
f
o
r
a
n

LIST OF FIGURES

a
n
t
e
r
o
p
o
s
t
e
r
i
o
r
h
i
p
r
a
d
i
o
g
r
a
p
h
. .

Positioning

f
o
r
a
f
r
o

LIST OF FIGURES

g
-
l
e
g
l
a
t
e
r
a
l
v
i
e
w
. .

M
R

a
x
i
a
l

T
1
W

I
a
t
t
h
e

l
e
v
e
l

LIST OF FIGURES

o
f
t
h
e
a
c
e
t
a
b
u
l
u
m
.

T
1
W
I
a
t
t
h
e
l
e
v
e
l
o
f
t
h
e
f
e

LIST OF FIGURES

m
o
r
a
l
h
e
a
d
. Axial
T
1
W
I
a
t
t
h
e
l
e
v
e
l
o
f
t
h
e
g
r
e
a
t
e
r
t
r

LIST OF FIGURES

o
c
h
a
n
t
e
r
.

M
R

l
a
t
e
r
a
l
s
a
g
i
t
t
a
l

T
1
W
I

.

M
R

m
i
d

s
a

LIST OF FIGURES

g
i
t
t
a
l
T
1
W
I
.
M
R
m
e
d
i
a
l
s
a
g
i
t
t
a
l
T
1
W
I
.
M
R
T
1
W
I
a

LIST OF FIGURES

n
t
e
r
i
o
r
c
o
r
o
n
a
l
i
m
a
g
e
.

M
R

T
1
W
I

m
i
d

c
o

r
o

n
a

l
i
m
a

LIST OF FIGURES

g
e
. .
c
l
a
s
s
i
f
i
c
a
t
i
o
n
o
f
p
o
s
t
e
r
i
o
r
h
i
p
d
i
s
l
o
c

LIST OF FIGURES

a
t
i
o
n
|
P
e
l
v
i
C
M
R
I,
A
:
C
o
r
o
n
a
l
i
m
a
g
e
s
h
o
w
s
a
x
i
a
l
s
e

LIST OF FIGURES

c
t
i
o
n
s
f
r
o
m
t
h
e
t
o
p
o
f
t
h
e
il
i
a
c
c
r
e
s
t
t
o
b
e
l
o
w
t
h
e

LIST OF FIGURES

l
e
s
s
e
r
t
r
o
c
h
a
n
t
e
r
s
.B
:
A
x
i
a

LIST OF FIGURES

s
e
c
t
i
o
n
s
f
r
o
m
t
h
e
s
a
c
r
o
il
i
a
c
j
o
i
n
t
t
o
t
h
e
p
u
b
i
c
s
y

LIST OF FIGURES

m
p
h
y
s
i
s
.C
:
A
x
i
a
l
i
m
a
g
e
s
h
o
w
s
s
a
g
i
t
t
a
l
s
e
c
t
i
o
n
s
f

LIST OF FIGURES

r
o
m

t
h
e
a
n
t
e
r
i
o
r
a
c
e
t
a
b
u
l
u
m

t
o
t
h
e
p
o
s
t
e
r
i
o
r
a
c

LIST OF FIGURES

e
t
a
b
u
l
u
m
.D
:
C
o
r
o

LIST OF FIGURES

s
e
c
t
i
o
n
s
f
o
ll
o
w
f
e
m
o
r
a
l
n
e
c
k
o
r
i
e
n
t
a
t
i
o
n

LIST OF FIGURES

A
.
A
x
i
a
l
T
1
-
W
e
i
g
h
t
e
d
i
m
a
g
e
.T
h
e
f
o
c
a
l
d
e
f
e
c

LIST OF FIGURES

t
i
s
l
o
c
a
t
e
d
i
n
t
h
e
a
n
t
e
r
i
o
r
p
o
r
t
i
o
n
o
f
t
h
e
f
e
m
o
r
a
l

LIST OF FIGURES

head . B . Sagittatal T 1 - weight ed in image . Then a blank or ma

LIST OF FIGURES

l
a
r
e
a
i
s
l
o
c
a
t
e
d
i
n
t
h
e
a
n
t
e
r
o
s
u
p
e
r
i
o
r
p
o
r
t
i
o
n
o
f

LIST OF FIGURES

t
h
e
f
e
m
o
r
a
l
h
e
a
d

C
o
r
o
n
a
l
T
l
w
e
i
g
h
t
e
d
i
m
a
g
e
. A
r
i

LIST OF FIGURES

n
g
li
k
e
l
o
w
-
S
i
g
n
a
l
li
n
e
(
a
r
r
o
w
s
)
s
u
r
r
o
u
n
d
s
a
n
a
r
e
a

LIST OF FIGURES

o
f
m
o
r
e
n
o
r
m
a
l
s
i
g
n
a
l
w
i
t
h
i
n
t
h
e
f
e
m
o
r
a
l
h
e
a
d
I
n
i

LIST OF FIGURES

t
i
a
l
T
1
-
w
e
i
g
h
t
e
d
i
m
a
g
i
n
g
o
f
t
h
e
h
i
p
s
d
e
m
o
n
s
t
r
a
t

LIST OF FIGURES

e
s
t
h
e
b
o
n
e
m
a
r
r
o
w
e
d
e
m
a
p
a
t
t
e
r
n
i
n
t
h
e
l
e
f
t
h
i
p
(
d

LIST OF FIGURES

i
f
f
u
s
e
d
e
c
r
e
a
s
e
d
s
i
g
n
a
l
)

C
o
r
o
n
a
l
T
1
-
W
I
(
a
)

LIST OF FIGURES

a
n
d
s
a
g
i
t
t
a
l
g
r
a
d
i
e
n
t
-
e
c
h
o
i
m
a
g
e
(
b
)
d
e
m
o
n

LIST OF FIGURES

strate reduced size and abnormal shape of it

LIST OF FIGURES

h
e
l
e
f
t
p
r
o
x
i
m
a
l
f
e
m
o
r
a
l
e
p
i
p
h
y
s
i
s
,
W
i
t
h
l
o

LIST OF FIGURES

W
s
i
g
n
a
l
i
n
t
e
n
s
i
t
y
o
f
t
h
e
e
p
i
p
h
y
s
e
a
l
b
o
n
e
m

LIST OF FIGURES

a
r
r
o
w

i
n
b
o
t
h

s
e
q
u
e
n
c
e
s
. .
T
h
e
r
e

i
s
t
h
i
c
k
e
n
i
n

LIST OF FIGURES

g
o
f
t
h
e
f
e
m
o
r
a
l
c
a
r
t
i
l
a
g
e
,
m
o
r
e
e
v
i
d
e
n
t
i
n

LIST OF FIGURES

(
a
)
A
c
t
i
v
a
t
e
d
r
i
g
h
t
-
s
i
d
e
o
s
t
e
o
a
r
t
h
r
i
t
i
s
i
n
a
6

LIST OF FIGURES

9
-
y
e
a
r
-
o
l
d
f
e
m
a
l
e
w
i
t
h
b
o
n
e
m
a
r
r
o
w
e
d
e
m
a
(
a
s
t
e
r

LIST OF FIGURES

i
s
k
)
i
n
t
h
e
f
e
m
o
r
a
l
h
e
a
d
a
n
d
a
c
e
t
a
b
u
l
u
m
,
s
u
b
c
h
o
n
d

LIST OF FIGURES

r
a
l
c
y
s
t
f
o
r
m
a
t
i
o
n
(
o
p
e
n
a
r
r
o
w
s
)
,f
r
e
e
b
o
d
y
(
a
r
r
o

LIST OF FIGURES

w
i
n
a
)
,
s
y
n
o
v
i
t
i
s
(
a
r
r
o
w
s
i
n
c
—
d
)
,
a
n
d
f
a
t
t
y
m
u
s
c
l

LIST OF FIGURES

e
a
t
r
o
p
h
y
(
a
r
r
o
w
,
n
e
)
o
f
t
h
e
r
i
g
h
t
-
s
i
d
e
g
l
u
t
e
a
l
m
u

LIST OF FIGURES

S
c
l
e
s
(
a
-
b
c
o
r
o
n
a
l
S
T
I
R
;
c
a
x
i
a
l
c
o
n
t
r
a
s
t
-
e
n
h
a
n
c

LIST OF FIGURES

e
d
f
a
t
-
s
a
t
u
r
a
t
e
d
T
1
-
w
e
i
g
h
t
i
n
g
;
d
c
o
r
o
n
a
l
s
u
b
t
r
a

LIST OF FIGURES

c
t
i
o
n
(
C
E
T
1
W
-
T
1
W
)
;
e
c
o
r
o
n
a
l
T
1
-
w
e
i
g
h
t
i
n
g
)
(
6
7)

LIST OF FIGURES

.
M
R
I
o
f
t
h
e
r
i
g
h
t
h
i
p
j
o
i
n
t
(
c
o
r
o
n
a
l,
f
a
t
s
u
p
p
r
e
s
s

LIST OF FIGURES

i
o
n
, p
r
o
t
o
n
d
e
n
s
it
y
-
w
e
i
g
h
t
e
d
):
h
y
p
e
r
t
r
o
p
h
i
c
s
y
n

LIST OF FIGURES

o
v
i
u
m
(
a
r
r
o
w
)
i
n
r
h
e
u
m
a
t
o
i
d
a
r
t
h
r
it
i
s
T
1
-
w
e
i
g
h

LIST OF FIGURES

t
e
d
(
A
)
T
2
-
w
e
i
g
h
t
e
d
(
B
)
s
p
i
n
-
e
c
h
o
M
R
i
m
a
g
e
s
s
h
o
w

LIST OF FIGURES

d
i
ff
u
s
e
l
o
w
S
i
g
n
a
l
a
n
d
h
i
g
h
s
i
g
n
a
l
i
n
t
e
n
s
it
y
,,
r
e
s
p

LIST OF FIGURES

e
c
ti
v
e
l
y
,d
u
e
t
o
m
a
r
r
o
w
e
d
e
m
a
.C
o
r
o
n
a
l
i
n
v
e
r
s
i
o
n

LIST OF FIGURES

r
e
c
o
v
e
r
y
M
R
i
m
a
g
e
(
C
)
s
h
o
w
S
i
n
t
e
n
s
e
e
d
e
m
a
i
n
t
h
e
f
e

LIST OF FIGURES

m
o
r
a
l
h
e
a
d
(
a
r
r
o
w
)
a
n
d
n
e
c
k
,
a
n
d
a
n
e
f
f
u
s
i
o
n
(
a
r
r
o
w

LIST OF FIGURES

head)
M
R
I
m
e
a
s
u
r
e
m
e
n
t
o
f
c
e
n
t
e
r
-
e
d
g
e
a
n
g
l
e
. A
a
n
d

LIST OF FIGURES

B
,
C
o
r
o
n
a
l
T
1
-
W
e
i
g
h
t
e
d
i
m
a
g
e
s
o
f
p
e
l
v
i
s
s
h
o
w
m
e
a

LIST OF FIGURES

s
u
r
e
m
e
n
t
o
f
c
e
n
t
e
r
-
e
d
g
e
a
n
g
l
e

	28	A 68-year-old woman with a subchondral insufficiency fracture of the right femoral head. (A) Radiograph obtained 4 weeks after onset shows no apparent abnormalities in the femoral head. (B, C) On magnetic resonance imaging obtained 4 weeks after onset, a diffuse bone marrow edema pattern is seen, with low signal intensity on T1-weighted imaging (B) and high signal intensity on T2-weighted fat saturated imaging (C). A very low signal intensity band parallel to the articular surface is also seen at image(B) (arrow)	64
--	----	--	----

LIST OF FIGURES

29	A 59-year-old woman with a subchondral insufficiency fracture of the right femoral head, which resulted in rapid destruction of the hip joint. (A) No apparent abnormality is seen on the radiograph obtained immediately after the onset of pain. However, a slight collapse was seen on the lateral side of the femoral head 1 week after onset (arrow). The collapse progressed until 4 weeks later, when joint space narrowing, particularly on the medial side, is seen and rapid destruction of the femoral head is observed. (B) Magnetic resonance imaging 2.5 weeks after onset shows a bone marrow edema pattern with two irregularly shaped low intensity bands with a convex shape on T1-weighted imaging.	65
30	Comparison of band images in subchondral insufficiency fracture(A) and osteonecrosis (B). Since the band in SIF corresponds to the fracture line, the shape is usually irregular, disconnected, convex and parallel to the cartilage surface. In contrast, the band in osteonecrosis corresponds to repair tissue formed around the necrotic area, which tends to show a smooth, well delineated and concave shape.	65
31	A 23-year-old woman with SCI of the left femoral head. (A) Radiograph obtained 2 months after onset shows slight collapse in the lateral portion of the femoral head (arrow) where an irregular joint surface and partial sclerosis are also observed. (B) A low signal intensity area and a band-like pattern are seen on a T1 weighted image. (C) On gadolinium enhanced magnetic resonance imaging, the lesion totally shows diffuse high uptake, indicating that this area is alive.	66
32	(A) Plain radiographs show minimal evidence of a SCFE. (B) The T1 weighted image shows some epiphyseal widening in the left hip. (C) The T2 weight image shows edema around the epiphyseal plate	67
33	Age and sex distribution of the studied 40 patients.	74
34	Clinical presentation of the studied 40 patients.	75
35	MRI classification of femoral head lesions of the 40 patients of our study.	76
36	Incidence of bilateral affection of the hip joint according to MRI findings in 40 patients of our	78

LIST OF FIGURES

	study.	
37	MRI Staging & diagnostic findings in 12 cases with avascular necrosis of our study.	79
38	Diagnostic MRI findings in 6 cases with osteoarthritis of our study.	81
39	Diagnostic MRI findings in 4 cases with migratory osteoporosis of our study.	83
40	Diagnostic MRI findings in 4 cases with septic arthritis of our study.	84
41	Diagnostic MRI findings in 5 cases with developmental dysplasia of the hip of our study.	86
42	Diagnostic MRI findings in 4 cases with Perthe's disease of our study.	88
43	Diagnostic MRI findings in 3 cases with slipped capital femoral epiphysis of our study.	90
44	Diagnostic MRI findings in 2 cases with stress fractures of our study.	91
45	Case 1: A case of bilateral avascular necrosis of femoral head stage 2 on the right side and stage 3 on the left side.	93
46	Case 2: A case of bilateral avascular necrosis of femoral head stage 2 on right side and stage 3 on left side.	95
47	Case 3: A case of Bilateral avascular necrosis of femoral head stage 3.	97
48	Case 4: A case of bilateral Avascular necrosis of femoral head stage 3 on the right side and stage 4 on the left side.	99
49	Case 5: A case of bilateral avascular necrosis of femoral head stage 4.	101
50	Case 6: A case of bilateral hip joint osteoarthritis more on the right side.	103
51	Case 7: A case of Left side slipped capital femoral epiphysis.	105

LIST OF FIGURES

52	Case 8: A case of Left hip joint osteoarthritis.	107
53	Case 9: A case of Legg-Calve-Perthes disease of left hip joint.	109
54	Case 10: A case of left hip dislocation with end arthritic changes.	111